

Fyrtex SK Nozzle

Fyrtex SK Nozzle is a smaller version of nozzle series SB and one of the smallest of its kind. The yield is relatively low compared to the other nozzle series. The SK nozzles are available in four body and adapter models, each with different design features. The nozzle consists of two tungsten carbide wear parts (core and insert). The cores and inserts are available in a variety of types and sizes. Each part is available in two different types of tungsten carbide (Y or M). The stainless steel part is made of SS 316.

This nozzle series can be used with our Superior High Pressure Atomizing Nozzle but we also supply the original body and adapter parts. All nozzle parts can be ordered separately in any quantity.

To receive a quotation, contact us





FYRTEX SK NOZZLE

part numbers and description

Fyrtext part #	Description	Material
006-090-401	Body Fyrtext SK (SHPA Nozzle)	Nitronic
RKI-xx *	Fyrtext SK Insert	"Y" carbide
RKIM-xx *	Fyrtext SK Insert	"M" carbide
Core	See Core charts	
006-090-109	Plunger Fyrtext SK (SHPA Nozzle)	Stainless steel
006-090-110	Spring Fyrtext SK (SHPA Nozzle)	Stainless steel
000-090-100	Fyrtext B/W adapter 697, (round) Ø mm (SHPA Nozzle)	Nitronic
010-090-018	Fyrtext Wrench 697 small (SHPA Nozzle)	Stainless steel
011-090-710	Fyrtext Nozzle press assembly 697 (SHPA Nozzle)	Stainless steel
W153070005	Removal/Assembly tool (Original)	Aluminium

* Fyrtext SK Inserts available types 36 (2,72 mm) through 76 (0,50 mm)
Example article number Fyrtext: RKI-52 (1,61 mm) y-car
Example article number Fyrtext: RKIM-44 (2,18 mm) m-car

Fyrtext SK Core part numbers

Fyrtext part #	Description	Material
RKA-17-4	Fyrtext SK Core 17 square, 4 slides Y-car	"Y" carbide
RKA-21-4	Fyrtext SK Core 21 square, 4 slides Y-car	"Y" carbide
RKA-27-4	Fyrtext SK Core 27 square, 4 slides Y-car	"Y" carbide
RKA-28-6	Fyrtext SK Core 28 square, 6 slides Y-car	"Y" carbide
RKAM-17-4	Fyrtext SK Core 17 square, 4 slides M-car	"M" carbide
RKAM-21-4	Fyrtext SK Core 21 square, 4 slides M-car	"M" carbide
RKAM-27-4	Fyrtext SK Core 27 square, 4 slides M-car	"M" carbide
RKAM-28-6	Fyrtext SK Core 28 square, 6 slides M-car	"M" carbide
RKAM-17-2	Fyrtext SK Core 17 triangle, 2 slides M-car	"M" carbide
RKAM-21-2	Fyrtext SK Core 21 triangle, 2 slides M-car	"M" carbide
RKAM-27-3	Fyrtext SK Core 27 triangle, 3 slides M-car	"M" carbide
RKAM-28-4	Fyrtext SK Core 28 triangle, 4 slides M-car	"M" carbide

Tungsten Carbide Wear Parts



Insert



Core



Raca International BV
Arnaudstraat 22
2182 DZ Hillegom
The Netherlands

W www.spraydryingnozzles.com
E info@raca.nl
T +31 (0)252 - 22 70 70
F +31 (0)252 - 53 39 22